

EN AW-6060	AIMgSi	Tuba te ekstruduara - Profile 755 - 2	PROFILE						
			<i>Trashësia e Murit</i>						
			T4	≤ 25	120	60	16	14	45
			T5	≤ 5	160	120	8	6	50
				3 < e ≤ 25	140	100	8	6	50
			T6	≤ 3	190	150	8	6	60
				3 < e ≤ 25	170	140	8	6	
			T64	≤ 15	180	120	12	10	
			T66	≤ 3	215	160	8	6	67
				3 < e ≤ 25	195	150	8	6	
			TUBAT						
			T4	≤ 15	120	160	16	14	45
T5	≤ 15	160	120	8	6	50			
T6	≤ 15	190	150	8	6	55			
T64	≤ 15	180	120	12	10				
T66	≤ 15	215	160	8	6	67			
EN AW-6063/6063A	AIMgO, 7si	Tuba te ekstruduara - Profilet 755 - 2	PROFILE						
			<i>Trashësia e Murit</i>						
			T4	≤ 25	130	65	14	12	55
			T5	≤ 3	175	130	8	6	60
				2 < e ≤ 25	160	110	7	5	60
			T6	≤ 10	215	170	8	6	75
				10 < e ≤ 25	195	160	8	6	70
			T64	≤ 15	180	120	12	10	70
			T66	≤ 10	245	200	8	6	80
				10 < e ≤ 25	225	180	8	6	75
			TUBAT						
			T4	≤ 10	130	65	14	12	55
T5	10 < e ≤ 25	120	65	12	10	55			
	≤ 25	175	130	8	6	60			
T6	≤ 25	215	170	10	8	75			
T66	≤ 25	245	200	10	8	80			
EN AW-6005/6005A	AISiMg	Tuba te ekstruduara - Profiles 755 - 2	PROFILE						
			<i>Trashësia e Murit</i>						
			Të hapura						
			T4	≤ 25	180	90	15	13	60
				≤ 5	270	225	8	6	80
			T6	5 < e ≤ 10	260	215	8	6	80
				10 < e ≤ 25	250	200	8	6	75
			Me hapsirë						
			T4	≤ 10	180	90	15	13	60
			T6	≤ 5	255	215	8	6	75
				5 < e ≤ 15	250	200	8	6	75
			TUBAT						
T6	≤ 5	270	225	8	6	80			
	5 < e ≤ 10	260	215	8	6	80			
EN AW-6082	AISiMgMn	Profilet 755 - 2	PROFILE / TUBAT						
			<i>Trashësia e Murit</i>						
			I hapur						
			T4	≤ 25	205	110	14	12	65
				≤ 5	270	230	8	6	80
			T6	≤ 5	290	250	8	6	100
5 < e ≤ 25	310	260		10	8	100			